LOAD TRAIL

Est. 1996

TANK TRAILERS

POWDER COATING PROCESS

Powdura OneCure is a single cure primer and topcoat powder system that provides the best of both chemistries to deliver superior performance in the trailer industry. Powdura Onecure™ Dry on Dry system offers the following TM advantages over traditional DTM polyester powders in a single cure application built for the long haul:

- Enhanced Corrosion & Chip Resistance
- Better Edge Coverage and Weld Protection
- Better Metal Substrate Wetting For Superior Adhesion vs. Standard DTM polyesters
- Better Chemical Resistance To Oils, Diesel, and Gasoline
- Excellent Humidity and QUVA ExpoSure For Outstanding Weatherability
- Excellent Color and Gloss Retention

1. BLAST

Load Trail uses both automatic and manual methods of mechanical blasting to remove all rust and milscale present on metals from the manufacturing process for a thorough blasted metal surface to create a metal profile for optimum adhesion of our powdercoating system.

2. WASH

We then run the trailers through an industry leading Zirconium Phosphate 2 stage automatic pretreatment cleaning process. The trailers start through a cleaner coater stage which cleans the metal from any foreign contaminants and then moves into a final rinse sealer stage to seal the metal to help better promote a coating to the metal blasted surface that helps create a better bond to the powdercoating.

3. DRYER

Immediately following the automatic pretreatment wash our trailers go into a full cycle dry-off oven to ensure any residual moisture is gone and the metal is good and dry before beginning the powder coating process.

4. PRIMER

In our First step we lead the market in using a single curing dry on dry Zinc Epoxy primer to coat the entire metal surface to cover the profile of the metal to ensure the best metal substrate wetting during the cure process for optimum adhesion and corrosion protection.

5. COLOR

Then our trailers go into the second step to apply dry on dry premium quality architectural grade super-durable polyester powders in all of our colors offered. These powder coating Topcoats offer excellent weatherability in color and gloss retention while still being functional for heavy use and exposure to the work environments.

6. CURE

In the final step our trailers enter the oven to go through the curing process at the manufacturer's recommended temperature until fully cured. Our Powdura One-Cure primer/topcoat system is an innovative single cure primer and topcoat system. Our coating system co-reacts and cross-links to form a single highly corrosion resistant coating without the need to gel or cure the primer, eliminating any potential adhesion issues when trying to coat two step systems together. This product will help extend the life of your coating and ensure your trailer is protected for the long haul.

JET BLACK	BLUE METALLIC	BRIGHT RED	CHARCOAL	FORREST GREEN
NEON ORANGE	PINK	EQUIP. YELLOW	WHITE	COYOTE TAN
ARMY GREEN	NEON GREEN	AGGIE MAROON	MUSTARD YELLOW	SILVER
BARNEY PURPLE	WESTERN BEIGE METALLIC	KAWASAKI GREEN	SKY BLUE	NAVY BLUE
JET BLACK METALLIC	BOMBER GREY			

COLORS SHOWN FOR REFERENCE. ACTUAL COLORS MAY VARY.

MEET THE TANK TRAILER LINEUP

Load Trail offers an affordable and versatile lineup of Tank trailers. The heavy-duty construction
Of the Tank Trailer series ensures maximum performance and longevity, giving you piece-of-mind that the work will get done,
And it will get done right.

THE FT07

THE FT10

KEY ADVANTAGES

Industry Best Warranty | Roadside Reimbursement | National Dealer Network | Commercial Grade Construction | Dexter E-Z Lube® Axles | Dexter Nev-R Adjust™ Forward Self Adjusting Electric Brake | Sherwin Williams® Powder Coat | Primer Standard | Radial Tires Standard | Powder Coated Wheels | 3” Channel Cross-members | Front Tool Box Standard | Recessed DOT Compliant LED Lighting | Premium Fully Sealed Wiring Harness w/Polar Cord | NATM Compliant | Sandblasted and Zirconium Washed | Hand Pinstriping | Innovative Design | Endless Options for Customization | Made in USA

FT07
7,000 G.V.W.R. Tandem Axle Tank Trailer

Stock photo. May be shown with additional options.

STANDARD FEATURES

- 7,000 Lb G.V.W.R.
- 3,500 Lb G.A.W.R.
- 4” Channel Tongue
- 4” Channel Frame
- 550 Gallon Tank
- 20 GPM, 12v Transfer Pump
- (2) 3,500 Lb DEXTER Electric/Spring Axles (with Forward Self-Adjust brakes)
- 15” 5-Hole Wheels
- ST205/75 R15 LRC Tires
- Multi-leaf Spring Suspension
- 2-5/16” Adjustable Coupler
- (1) 5,000 Lb Swivel Jack
- (2) 5/16“ x 29” Grade 30 Safety Chains
- Tongue-mount Tool Box
- Rear Tool Tray
- Multi-purpose Platform (Ample Room To Mount Compressor or DEF Supply System)
- Steel Diamond Plate Fenders
- (6) Stake Pockets
- LED Lighting
- 16 Ga. 5-Way Double-Insulated Harness w/7-way Plug & Front Polar Cord
- Mechanical and/or Chemical Pretreatment for Maximum Paint Adhesion
- Black Polyester TGIC Gloss Powder Topcoat With PRIMER STANDARD

Standard features shown are based on the FT07 base model. Some standard features vary by model. Axles are Forward Self Adjusting.

AXLE OPTIONS
3,500 Lb Dexter (1) Electric/Spring (FSA)
3,500 Lb Dexter (2) Electric/Spring (FSA)
3,500 Lb Dexter (1) Electric/Torsion (FSA)
3,500 Lb Dexter (2) Electric/Torsion (FSA)

COUPLER OPTIONS
2,-5/16” Adjustable Coupler
2” Adjustable Coupler
3” Adjustable Pintle Ring

POPULAR OPTIONS
ST205/75 R15 LRC 6 Ply Tires
550 Gallon Tank
5,000 Lb Swivel Jack
LED Lights w/Cold Weather Harness
Mud Flaps
Front Tongue Mount Tool Box
Rear Tool Tray
Solar Panel Charger
5 Amp Battery Wall Charger
Spare Wheel & Tire
Removable Spare Tire Mount

****NOTES****

Not D.O.T. approved for hazardous liquids

Not approved for Class 1 hazardous liquids

Only permitted on county roads & farm to market roads when transporting hazardous liquids, for farm use only

G.V.W.R.	LENGTHS	WIDTHS	TANK CAPACITY	BASE WEIGHT	G.A.W.R.
7,000 Lbs	11 Ft	60”	550 Gal	1,805 Lbs	3,500 Lbs/Axle

For a complete list of options and available configurations, visit us at www.loadtrail.com.

FT10
9,990 G.V.W.R. Tandem Axle Tank Trailer

Stock photo. May be shown with additional options.

STANDARD FEATURES

- 9,990 Lb G.V.W.R.
- 5,200 Lb G.A.W.R.
- 4” Channel Tongue
- 4” Channel Frame
- 550 Gallon Tank
- 20 GPM, 12v Transfer Pump
- (2) 5,200 Lb DEXTER Electric/Spring Axles (with Forward Self-Adjust brakes)
- 15” 6-Hole Wheels
- ST225/75 R15 LRD Tires
- Multi-leaf Spring Suspension
- 2-5/16” Adjustable Coupler
- (1) 5,000 Lb Swivel Jack
- (2) 1/4“ x 36” Grade 70 Safety Chains
- Tongue-mount Tool Box
- Rear Tool Tray
- Multi-purpose Platform (Ample Room To Mount Compressor or DEF Supply System)
- Steel Diamond Plate Fenders
- (6) Stake Pockets
- LED Lighting
- 16 Ga. 5-Way Double-Insulated Harness w/7-way Plug & Front Polar Cord
- Mechanical and/or Chemical Pretreatment for Maximum Paint Adhesion
- Black Polyester TGIC Gloss Powder Topcoat With PRIMER STANDARD

Standard features shown are based on the FT10 base model. Some standard features vary by model. Axles are Forward Self Adjusting.

AXLE OPTIONS
5,200 Lb Dexter (1) Electric/Spring (FSA)
5,200 Lb Dexter (2) Electric/Spring (FSA)
5,200 Lb Dexter (1) Electric/Torsion (FSA)
5,200 Lb Dexter (2) Electric/Torsion (FSA)

COUPLER OPTIONS
2,-5/16” Adjustable Coupler
2” Adjustable Coupler
3” Adjustable Pintle Ring

POPULAR OPTIONS
ST225/75 R15 LRD 8 Ply Wheels & Tires
ST235/80 R16 LRE 10 Ply Wheels & Tires
550 Gallon Tank
5,000 Lb Swivel Jack
LED Lights w/Cold Weather Harness
Mud Flaps
Front Tongue Mount Tool Box
Rear Tool Tray
Solar Panel Charger
5 Amp Battery Wall Charger
Spare Wheel & Tire
Removable Spare Tire Mount

****NOTES****

Not D.O.T. approved for hazardous liquids

Not approved for Class 1 hazardous liquids

Only permitted on county roads & farm to market roads when transporting hazardous liquids, for farm use only

G.V.W.R.	LENGTHS	WIDTHS	TANK CAPACITY	BASE WEIGHT	G.A.W.R.
9,990 Lbs	11 Ft	60”	550 Gal	1,805 Lbs	5,200 Lbs/Axle

For a complete list of options and available configurations, visit us at www.loadtrail.com.

FT SERIES HIGHLIGHTS

TONGUE-MOUNT TOOL BOX

550 GALLON TANK

SPARE TIRE MOUNT

2-5/16” ADJ. COUPLER

5K SWIVEL JACK

TANDEM 3.5K - 5.2K AXLES

REAR TOOL TRAY

7-WAY PLUG

CAPACITY GAUGE

MULTI-PURPOSE PLATFORM

HOSE STORAGE MOUNT

RADIAL TIRES

5 AMP WALL CHARGER

LICENSE PLATE MOUNT

4” CHANNEL TONGUE

LED LIGHTS

232 PROTECTED

Load Trail is proud to be home to the best warranty on the market. Our 232 Protection plan is included on every load trail trailer and includes coverage above & beyond that of most other trailer warranties.

BENEFITS OF 232 PROTECTION INCLUDE:

- TOWING / ROAD REIMBURSEMENT FOR BOTH TOW VEHICLE AND TRAILER
- FLAT TIRE CHANGES
- VEHICLE FLUID DELIVERY
- JUMP STARTS (DEAD BATTERY SERVICE)
- LOCK-OUT SERVICES
- ON AND OFF-ROAD COVERAGE
- BOTH COMMERCIAL & CONSUMER USE

We are confident in our product and have the warranty to prove it. For full coverage and warranty details, please see your Load Trail Owner's Manual or visit us at www.loadtrail.com

2-YEAR

COMPREHENSIVE COVERAGE

This comprehensive coverage will protect you from manufacturing defects on every single component on the trailer.

3-YEAR

STRUCTURAL WARRANTY

When used according to guidelines, we guarantee our trailer to be structurally free from defects for three years.

2-YEAR

ROADSIDE REIMBURSEMENT

This protection will give you the peace-of-mind to hit the road any time with your trailer and your tow vehicle anywhere in the US & Canada, for personal or business use. Our roadside service program will make sure you are never stranded due to unforeseen circumstances when on business or personal trips. All benefits for the trailer are automatically extended to the tow vehicle, and are both covered for two years from the purchase date of your Load Trail trailer. Best of all, our roadside service program is included on every new Load Trail trailer - free of charge.

ABOUT LOAD TRAIL

At Load Trail, we're more than just a trailer manufacturer - we're a family of hardworking people on a mission to build the best. Since 1996, we've been crafting professional-grade trailers with the people in mind that provide for their families. We know that our customers are the backbone of America, and we're proud to be a part of their journey.

We started small, but our determination and dedication to our craft has led us to become one of the largest trailer brands in the industry. Our state-of-the-art facilities and expert team of over 500 employees constantly push the boundaries and explore new ways to innovate and improve.

We're not just in the business of building trailers, we are in the business of building trust. That's why we stand behind our product with the industry's leading warranty and are committed to providing world-class customer service. Whether you're looking to buy a trailer or own a Load Trail, we're here to exceed your expectations.

We may have grown over the years, but we'll always be the small, family-owned, operated business that started it all. And we'll always be proud to be the heroes that help you take on your next adventure.

LOAD TRAIL

Est. 1996

220 FM 2216 | Sumner, TX 75486 | www.loadtrail.com | 903-783-3900